

GARANINA, I.P., starshiy nauchnyy sotrudnik; NEFEDOV, V.P., student

Ascorbic acid content of the cortical substance of adrenal glands
in anaphylaxis. Uch. zap. KVI 89:161-167 '62.

(MIRA 18:8)

1. Laboratoriya eksperimental'noy fiziologii i patologii (zav. -
prof. N.A.Krylova) Kazanskogo veterinarnogo instituta i Kafedra
patofiziologii (zav. - prof. M.A.Yerzin) Kazanskogo meditsinskogo
instituta.

GARANINA, I.P.

Reflex excitability and functional mobility of the respiration
center in animals during the initial period of their postnatal
life. Nerv. sist. no.4:92-95 '63 (MIRA 18:1)

1. Kazanskiy veterinarnyy institut.

BARYSHEVA, A.A., red.; ORFANOV, I.K., red.; PROKHOROV, V.I.,
red.; TRUBE, L.L., red.; GARAMINA, L.F., red.

[The Volga-Vyatka Region; economic and geographical
survey] Volgo-Viatskii raion; ekonomiko-geograficheskii
obzor. Gor'kii, Volgo-Viatskoe knizhnoe izd-vo, 1964.
285 p. (MIRA 18:3)

BELYAYEV, Igor' Ippolitovich, doktor med.nauk; GARANINA, L.F., red.;
ZAKHAROV, K.A., tekhn.red.

[Personal hygiene] Lichnaya gigiena. Gor'kovskoe knizhnoe izd-vo,
1955. 49 p. (MIRA 12:3)

(HYGIENE)

GARANINA, L.F.

PUZANOV, Ivan Ivanovich; KOZLOV, Vladimir Ivanovich; KIPARISOV, Gleb
Petrovich. [deceased]; *GARANINA, L.F.*, redaktor; ZAKHAROV, K.A.,
tekhnicheskii redaktor

[Animals of Gorkiy Province; vertebrates] Zhivotnyi mir Gor'kovskoi
oblasti; pozvonochnye. Izd. 2-oe, dop. [Gor'kii] Gor'kovskoe kn-vo
1955. 585 p. (MIRA 9:10)

(Gorkiy Province--Vertebrates)

GARANINA, L.F.

ONISHCHENKO, Mikhail Nesterovich, kand.pedagog.nauk; YASHANIN, I.G.,
zasluzhennyy uchitel' shkoly RSFSR, red.; GARANINA, L.F.,
red.; BRULIKOVSKAYA, R.G., tekhn.red.

[Equivalence of equations, their solution and analysis]
Ekvivalentnost' uravnenii, ikh reshenie i issledovanie. Pod
red. I.G. Iashanina. Gor'kii, Gor'kovskoe knizhnoe izd-vo,
1959. 121 p. (MIRA 13:2)
(Equations)

VORGALIK, Vadim Gabrielyevich, prof.; GARANINA, L.F., red.; NUNISOVA,
M.I., tekhn. red.

[Principles of the Chinese therapeutic method of acupuncture]
Osnovy kitaiskogo lechebnogo metoda chzhen'-tsziu. Gor'kii,
Gor'kovskoe knizhnoe izd-vo, 1961. 318 p. (MIRA 15:7)

1. Gor'kovskiy meditsinskiy institut im. S.M.Kirova (for
Vorgalik).

(ACUPUNCTURE)

GEFTER, Aleksandr Isayevich, prof.; GARANINA, L.F., red.; ZAKHAROV,
K.A., tekhn. red.

[Clinical lectures on internal diseases] Klinicheskie lektsii
po vnutrennim bolezniyam. Gor'kii, Gor'kovskoe knizhnoe izd-vo.
Pt.2. 1962. 362 p. (MEDICINE, INTERNAL) (MIRA 16:5)

KOKOSH, Valentin Ivanovich, prof.; KOROLEV, B.A., prof., zasl. deyatel'
nauki, nauchn. red.; GARANINA, L.F., red.

[Pneumonectomy in chronic suppurative diseases of the lungs]
Pnevmonektomiia pri khronicheskikh nagnoitel'nykh zaboлева-
niyakh legkikh. Gor'kii, Volgo-Viatskoe knizhnoe izd-vo,
1964. 482 p. (FIR 17:8)

1. Chlen-korrespondent AN SSSR (for Korolev).

VOGRALIK, Vadim Gabrielelevich, prof.; GARANINA, L.F., red.; YUNISOVA,
M.I., tekhn. red.

[Clinical lectures on internal diseases; selected chapters
from a course on clinical hospital therapy] Klinicheskie
lektsii po vnutrennim bolezniyam; izbrannye glavy kursa gos-
pital'noi terapevticheskoi kliniki. [Gor'kii] Volgo-
Viatskoe knizhnoe izd-vo, 1964. 742 p. (MIRA 17:3)

*

USSR/Cultivated Plants - Fodders.

M

Abs Jour : Ref Zhur Biol., No 18, 1958, 82397

Author : Garamina, L. S.

I st : -

Title : Vetchling Plantings for Green Manuring Under the Cotton Plants and for Cattle Fodder.

Orig Pub : Khlopkovodstvo, 1957, No 10, 26-29

Abstract : On the basis of the tests of the scientific research institutions during 1954-1956 and of the results of previous investigation, the following varieties of annual vetchling are recommended: the sowing Lathyrus sativus L., Tangiers (L. tingitanus L.), red (L. cicer-
ra) and yellow (Z ochrus D.C.). After-harvest sowings in pure form and in mixture are used for fodder.

Card 1/1

GARANINA, L.S., agronom.

Vetchling. Nauka i pered. op. v sel'khoz. 7 no.10:37-39 0 '57.
(Vetchling) (MIRA 10:11)

GARANINA, L. S., Cand Agr Sci -- (diss) "Evaluation of collection^{the}
of ~~the~~ vetchling^{starting} as ~~original~~ material for selection." Len, 1958.
20 pp (All-Union Order of Lenin Acad Agr Sci im V. I. Lenin, All-
Union Sci Res Inst of Plant Cultivation), 100 copies (KL, 15-58,
117)

-59-

GARANINA, M.F.

The effect of the nature of active groups on the exchange properties of adsorbents. V. N. Lenskaya and M. F. Garanina (N. G. Chernyshevskii State Univ., Saratov, Sovetskaya Lab. 21, 1428-9 (1955)). Three new cation-adsorbent resins were tested. They were prepd. by the addn. of 20-30% oxalic or citric acid or of quercitrin to β -phenol-sulfonic acid. The exchange properties of the resins so prepd. were materially changed. The 3 acids, which form complex ions with Fe and Al, greatly increased the adsorption of these ions. These addns. to the resins either greatly increase the no. of activity centers, or reduce the no. of active sulfo groups in the resins. The hope is expressed that the selection of suitable addns. can regulate the selectivity in the exchange reactions of resins. W.M.S.

2 M.A. YOUTZ
2 copies

RM

AFANAS'YEV, A.P.; ANUCHIN, V.G.; VINOGRADOV, K.V.; GARANINA, M.M.;
GILEROVICH, M.M.; DUBROVSKIY, Ye.P.; YEVSTIGNETEV, A.A.; IOKHVIN,
M.R.; KALMYKOV, P.M.; KRENGEL', I.TS.; LOSEV, I.G.; MAYEVSKIY,
F.M.; MAZEL', S.I.; MIZHERITSKIY, G.S.; NOVIKOV, M.I.; NAZAR'YEV,
O.V.; PCHELKINA, I.A.; RAZUMOV, V.S.; ROZENBLYUM, I.M.; SEROV, B.P.;
SKRYPNIK, T.I.; SAL'VIN, Ye.S.; SMOTRINA, V.F.; TELEPNEVA, N.S.;
FIL'CHAKOV, N.I.; KHRAPUNOVA, Ye.L.; UNDREVICH, G.S.; UR'T'YEV, P.P.;
SHILOV, A.A.; SHLYKOV, A.P.; KIRILLOV, L.M., red.; MARKOCH, M.G.,
tekhn.red.

[Regulations on the construction of municipal telephone network lines]
Pravila po stroitel'stvu lineinykh sooruzhenii gorodskikh telefonnykh
setei. 2.izd. Moskva, Sviaz'izdat, 1962. 511 p. (MIRA 15:5)

1. Russia (1923- U.S.S.R.) Ministerstvo svyazi. Glavnoye upravleniye
kapital'nogo stroitel'stva.
(Telephone lines)

GARANINA, N.S.

KLYACHKO-GURVICH, Lipka L'vovich; GERASIMOV, Ya.I., professor,
redaktor; GARANINA, N.S., redaktor; MIKHAYLOVA, T.A.,
tekhnicheskii redaktor.

[Cryoscopy; laboratory work in physical chemistry] Krioskopiia;
prakticheskie raboty po fizicheskoy khimii. Pod red. IA.I.
Gerasimova. [Moskva] Izd-vo Moskovskogo univ., 1955. 21 p.
(MLRA 8:12)

1. Chlen-korrespondent AN SSSR (for Gerasimov).
(Cryoscopy)

GARANINA, N.S.

SEROGYEV, Yevgeniy Mikhaylovich; GABANINA, N.S., redaktor; TEREKHOVA, D.P.,
tekhnicheskiiy redaktor

Mikhail Mikhailovich Filatov. [Moskva] Izd-vo Moskovskogo univ.,
1956. 51 p. (MLRA-10:1)
(Filatov, Mikhail Mikhailovich, 1877-1942)

SERGEYEV, Yevgeniy Mikhaylovich; GARANINA, N.S., red.; GEORGIYEVA,
G.I., tekhn.red.

[Soil science] Gruntovedenie. Izd.2., perer. Moskva,
Izd-vo Mosk.univ., 1959. 333 p. (MIRA 12:8)
(Soil research)

GARANINA, G.P.; YERLYKOVA, A.Ya.; GUSEV, N.K.

Antibiograms of dysenteric bacilli based on data of the Krasnoyar
Territorial Sanitary Epidemiological Station. Antibiotiki 10
no.5:465-466 My '65. (MIRA 18:6)

1. Krasnoyarskiy meditsinskiy institut.

2484/1/1/1

GURVICH, B.I., professor; BLINTSOVSKAYA, H.A.; GUBENINA, S.A.; KOLBIAKHINA, L.A.

Clinical aspects, early diagnosis and treatment of murine typhus
salmonellosis in small children. Pediatria no.4:30-35 Apr 57.
(MIR, 10:10)

1. Iz kafedry gospiatel'noy pediatrii Gor'kovskogo meditsinskogo
instituta (zav. - prof. B.I.Gurvich) i Gorodskoy detskoj klinicheskoy
bol'nitsy (glavnyy vrach Ye.G.Krupko)
(SALMONELLA)

GARANINA, S. A., KOLOBIKHINA, S. A., GUREVICH, B. I., BLINTSOVASKAYA, R. A.

"Clinic, early diagnosis, and treatment of salmonellosis
(mbuse typhus) in young children."

report submitted at the 13th All-Union Congress of Hygienists, Epidemiologists
and Infectionists, 1959.

GARANINA, V. [Garanina, V.]; LADYGINA, O. [Ladygina, O.]; OSTREYKO, L.
[Astreika, L.]; MARCHENKO, T. [Marchenko, T.]; PERETYAGINA, L.
[Peretsiagina L.]; SHIROKOVA, N. [Shyrakova, N.], inzh.

We are proud of our beautiful city. Rab. i sial. 35 no.6:12-13
Je '59. (MIRA 12:8)

1. Zakroyshchitsa atel'ye No.1 Belpromsoвета (for Marchenko).
2. Zaveduyushchaya aparatno pryadil'nyy proizvodstom, g. Minsk (for Shirokova).

(Minsk--Description) (Minsk--Economic conditions)

GARANIINA, V. A.

VANYARKHO, L. G.; GARANIINA, V. A.

Chromatographic Analysis

Preparation and use of chromatographic paper in chemical analysis. Apt. delo.,
No. 3, 1952

Monthly List of Russian Accessions, Library of Congress, November 1952
UNCLASSIFIED.

ALEKSANDROVICH, K.D., mladshiy nauchnyy sotrudnik; LYSOVA, Z.A., starshiy nauchnyy sotrudnik; Prinimali uchastiye: FRIDMAN, B.N., starshiy nauchnyy sotrudnik; GARANINA, V.P., mladshiy nauchnyy sotrudnik; LYSYANSKIY, Ye.B., mladshiy nauchnyy sotrudnik

Studying the setting of card clothing and the mounting of high-speed drawing machines. Nauch.-issl.trudy TSNIILV 15:3-23 '61.
(MIRA 18:4)

LYSOVA, Z.A.; ALEKSANDROVICH, K.D., mladshiy nauchnyy sotrudnik; Prinimali uchastiye: FRIDMAN, B.N., starshiy nauchnyy sotrudnik; GARANINA, V.P., mladshiy nauchnyy sotrudnik; LYSYANSKIY, Ye.B.

Comparing the technological efficiency of high-speed draw frames with 6 mm and 9 mm diameter combs. Nauch.-issl. trudy TSNILV 16:118-126 '62. (MIRA 16:10)

1. Rukovoditel' eksperimental'noy laboratorii TSentralnogo nauchno-issledovatel'skogo instituta promyshlennosti lubyanykh volokon.

23(5)

SOV/77-4-2-6/18

AUTHORS: Zimkin, Ye.A., Garanina, Ye.Ye.

TITLE: The Photographically Active Components of Gelatin (Fotograficheski aktivnyye komponenty zhelatina)

PERIODICAL: Zhurnal nauchnoy i prikladnoy fotografii i kinematografii, 1959, Vol 4, Nr 2, pp 116-120 (USSR)

ABSTRACT: The authors state that photographic gelatin usually contains a certain amount of mineral constituents (1-2% of the dry product). This is shown in Table 1 which gives an analysis of a mixed sample of batches of gelatin resin from the Kazan' plant. Although almost nothing is known of the photographic influence of gelatin mineral constituents, there is an indication [Ref. 1] that an excess of potassium and sodium ions in the water used to produce photographic emulsions, may cause fogging. The authors then describe experiments made to investigate the photographically active

Card 1/4

SOV/77-4-2-6/18

The Photographically Active Components of Gelatin

components of gelatin. The gelatin samples were tested by the photographic method, accepted as standard for photographic gelatin [Ref. 2]. The same gelatin was used in the first maturing, the experimental samples being introduced in the second maturing. The experiments were carried out by two methods: 1) by combining the calcium ions in the gelatin itself into a slightly dissociated combination and substituting them with sodium ions; this was done by introducing NaF, Na_3PO_4 and other salts into the gelatin; 2) using gelatin purified of its mineral constituents and introducing combinations with a certain cation into it. Ordinary photographic gelatins were used, part of them purified of mineral constituents by washing in a diluted solution of acetic acid [Ref. 3] or by desalting them by ion-exchangers. In the latter case, on the recommendation of Professor V.A. Klyachko, the gelatin solutions

Card 2/4

SOV/77-4-2-6/13

The Photographically Active Components of Gelatin

were filtered through columns with ion-exchanging resins; wolfrite (vofatit) P was used as a cationite and ON and ED-10 as an anionite. The amount of resin in the purified gelatin did not exceed 0.1% of the dry products, the calcium ions in the resin were kept as sediment. The chemical maturing of the emulsion was accelerated by the use of thiosulphates Mg, Ca and Ba, prepared by the authors and their colleagues, introduced in the amount of $2.5 \cdot 10^{-7}$ M per gram of gelatin. Experiments showed that the speed of the chemical maturing of a photographic emulsion, depends, all other conditions being equal, on the valence of the cations of the mineral constituents of the gelatin. In the presence of two-valence cations the period of maturing up to maximum light-sensitivity is longer than in the case of one-valence cations. It is also assumed that during the second maturing of the emulsion, the cations interact

Card 3/4

SOV/77-4-2-6/18

The Photographically Active Components of Gelatin

with the intermediate combinations of ions of silver and accelerators of the maturing. There are 3 tables, 3 graphs and 8 references, 7 of which are Soviet and 1 English-language.

ASSOCIATION: Kazanskiy fotozhelatinovyy zavod (The Kazan' Photographic Gelatin Plant)

SUBMITTED: June 17, 1957

Card 4/4

ZINKIN, Ye.A.; KUDACHEVICH, V.F.; DEVIATOV, Ya.B.; I'YASHOVA, I.B.;
GABANINA, Ye.Ye.

Effect of the methods of gelatin preparation on its photographic
activity. Zhur. nauch. i prikl. fot. i kin. 10 no.4:247-250
Jl-Ag '65. (MIRA 10:7)

1. Kazanskiy filial Vsesoyuznogo nauchno-issledovatel'skogo kino-
fotoinstitutu i Kazanskiy fotokhologicheskyy zavod.

GARAN'KIN, Yu.

Planned increase in the equipment of schools. Prof.-tekh. obr.
21 no.10:25 0 '64. (MIRA 17:11)

1. Zamestitel' nachal'nika Orenburgskogo oblastnogo upravleniya
professional'no-tekhnicheskogo obrazovaniya.

SOKOLOVA, Ye.I. [deceased]; BRAYNZAROVA, G.T.; BOCHANOVA, N.S.;
ZHIKHAREVA, V.I.; ZAKUMBAYEV, A.K.; ISAYEVA, M.G.;
IMAMBAYEVA, U.A.; KRIVOSHEYEV, Yu.O.; KUDAYEBERGENOV,
Zh.D.; RAKHMETCHIN, S.; TYUTYUKOV, F.M.; SHIM, P.S.;
LAZARENKO, Ye.I.; GARANKINA, A.I.; D'YACHENKO, R.;
PETUKHOV, R.M., ~~kand. tekhn. nauk~~, nauchn. red.;
SHUPLOVA, M.A., red.; LEVIN, M.L., red.; ROROKINA, Z.P.,
tekhn. red.

[Food industry of Kazakhstan] Pishchevaia promyshlennost'
Kazakhstana. Alma-Ata, Izd-vo AN KazSSR, 1963. 172 p.

1. Akademiya nauk Kazakhskoy SSR, Alma-Ata. Institut eko-
nomiki.

(Kazakhstan--Food industry)

GLUSHKOV, G.S.; YEGOROV, I.R.; YERMOLOV, V.V.; GARANKINA, S.P., red.;
DEMKINA, N.F., tekhn. red.

[Formulas for the design of continuous beams and frames] Formuly dlia rascheta nerazreznykh balok i ram; spravocnoe posobie. Izd.2., dop. i perer. Moskva, Mashgiz, 1963. 463 p.
(MIRA 17:4)

ERLIKH, V.; GARANTOVA, Z.; pri uchastii D.Prizhikrylovoy, D.Prokhaszkovoy i
M.Ishovoy

Studying body reactivity in hypertension and prolonged sleep therapy.
Zhur.vys.nerv.deiat. 7 no.4:547-553 J1-Ag '57. (MIRA 10:12)

1. Institut bolezney krovoobrashcheniya, Praga, Chekhoslovariya.
(HYPERTENSION, physiology,
neural reactivity & sleep ther. (Rus))
(SLEEP, therapeutic use,
hypertension (Rus))

EXMPPTA MEDICA Sec 6 Vol 13/7 Internal Led. July 50

4061. COMPARATIVE EVALUATION OF THE DETOXICATING FUNCTION OF
THE LIVER IN TRICHODESMOTOXICOSIS (Russian text) - Garanyan
A. N. - ZDRAVOOKHR. UZ. 1956, 6 (39-41)

Investigations were carried out on patients (in two regions) suffering from various forms of trichodesmotoxicosis (anaemic, renal-anaemic, renal-anaemic-encephalitic, encephalitic) using a complex of functional tests: Quick's sodium benzoate test, with santonin and the Takata-Ara reaction with mercuric chloride-fuchsin. In the overwhelming majority of the patients a marked impairment of the detoxicating function of the liver was noted; the different extent of impairment in patients from different regions depends, in the author's opinion, on the possibility of intoxication not only by trichodesma alkaloid but also by other weeds, as well as on greater or lesser concentrations of alkaloid.

(S)

GARANYAN, A.N.

USSR/Human and Animal Physiology - Liver.

R-7

Abs Jour : Referat Zhur - Biol., No 16, 1957, 70877

Author : Garanyan, A.N.

Inst :

Title : Liver Function in Intestinal Pathology.

Orig Pub : Sb. Nauch. tr. Samarkandsk. med. in-t, 1956, 11, 233-237

Abstract : No abstract.

Card 1/1

- 36 -

GARANYAN, A.N., kand.med.nauk

Antitoxic function of the liver in some diseases of the viscera.
Vrach.delo supplement '57:41 (MIRA 11:3)

1. Gosptal'naya terapevticheskaya klinika (zav.-zasl. deyatel'
nauki, prof. V.Yu.Ioffe) Samarkandskogo meditsinskogo instituta.
(LIVER) (VISCERA--DISEASES)

IOFFE, V.Yu., prof.; GARANYAN, A.N., ~~kand.med.nauk~~

Therapeutic value of the new preparation nitranol. Med. zhur. Uzb.
no.6:40-42 Je '60. (MIRA 15:2)

1. Iz kafedry gosital'noy terapii Samarkandskogo gosudarstvennogo
meditsinskogo instituta imeni I.P.Pavlova.
(NITRANOL)

GARANYAN, A.H., kand.med.nauk

Capillary circulation in some diseases of the internal organs.
Vrach. delo no.6:145 Je '61. (MIRA 15:1)

1. Klinika gospital'noy terapii (zaveduyushchiy -- dotsent A.D.
Dzhalalov) Samarkandskogo meditsinskogo instituta.
(BLOOD__CIRCULATION, DISORDERS OF)

DZHALALOV, A.D., doktor meditsinskikh nauk; GARANYAN, A.N., kand.med.nauk

State of the cardiovascular system in patients with chronic gastritis
and peptic ulcer. Med. zhur. Uzb. no.8:89-92 Ag '61. (MIRA 15:1)

1. Iz gosspital'noy terapevticheskoy kliniki (zav. - A.D.Dzhalalov)
Samarkandskogo meditsinskogo instituta.
(CARDIOVASCULAR SYSTEM) (STOMACH INFLAMMATION)
(PEPTIC ULCER)

IOFFE, V.Yu.; GARANYAN, A.N.

Therapeutic value of nitranol. Khim. i med. no.16:25-29 '61.
(MIRA 17:8)

GARANYAN, A.N., kand. med. nauk

Dynamics of clinical data and cardiovascular indices in patients
with hypertension treated with rauwolfia preparations. Nauch.
trudy SamMI 23:56-60 '63 (MIRA 17:3)

1. Iz kliniki gosspital'noy terapii Samarkandskogo meditsin-
skogo instituta.

VEKHOV, V.A.; GARANZHA, L.P.; NEKRASOVA, Z.D.; KULISH, N.F.

Some regularities of the changes in the solubility of chlorolignin
in alkalies. *Gidroliz. i lesokhim.prom.* 17 no.2:16-17 '64.

(MIRA 17:4)

1. Dnepropetrovskiy metallurgicheskii institut.

EPSTEYN, Ye.F.; FILIPPOVA, Ye.S.; VEKHOV, V.A.; GARANZHA, L.P., aspirant

Chlorolignin, a new reagent for treatment of clay solutions.

Izv. vys. ucheb. zav.; geol. i razv. 6 no.5:156-159 My '65.
(MIRA 18:10)

1. Dnepropetrovskiy gornyy Institut.

KOBIELOWA, Zofia; ZMUDZKA, Izabella; GARAPICH, Marek; SZCZUDRAWA, Jerzy

Difficulties in the classification and diagnosis of Hand-Schüller-Christian disease. Pol. tyg. lek. 20 no.22:805-808 31 My '65.

1. Z I Kliniki Dziecięcej (Kierownik: prof. dr. T. Giza) i z Zakładu Anatomii Patologicznej AM w Krakowie (Kierownik: prof. dr. J. Kowalczykowa).

HORNIK, Norbert; OSTROWSKI, Antoni; GARAPICH, Marek

Pattern of serum protein fractions in patients with rickets treated with massive doses of vitamin D-3. Pol. tyg. lek. 20 no.33:1227-1230 16 Ag '65.

1. Z I Kliniki Dziecięcej AM w Krakowie (Kierownik: prof. dr. Tadeusz Giza).

L 3927-66 EWT(m)/EPF(c)/EPF(n)-2
ACCESSION NR: AT5022320

UR/3157/64/000/114/0003/0012
589.1.03.089.6

43
B+1

AUTHOR: Garapov, E. F.; Gryaznov, Yu. N.

TITLE: Analysis of the gamma-gamma coincidence method used for standardizing cobalt-60 and sodium-22 radioactive sources 19

SOURCE: USSR. Gosudarstvennyy komitet po ispol'zovaniyu atomnoy energii. Doklady, no. 114, 1964. Analiz metoda gamma-gamma-sovpadeniy, primenyayemogo pri etalonirovanii radioaktivnykh istochnikov iz kobal'ta-60 i natriya-22, 3-12

TOPIC TAGS: radioactive source, cobalt, sodium, coincidence counting, gamma quantum

ABSTRACT: The coincidence method is well known at present as one of the techniques for absolute measurements of source activity (with an accuracy up to 1%). The article examines the special case of the gamma-gamma coincidence method, which records with independent counters two gamma quanta emitted simultaneously in a single event of decay of the radioactive nucleus, and events of their coincidence. The determination of the activity consists in measuring the channel counting rate n_1 and n_2 (see fig. 1 of the Enclosure), coincidence counting rate $n_{1,2}$, random coin-

Card 1/3

L 3927-66

ACCESSION NR: AT5022320

0

cidences $n_{1,2}$ rand, and background counting rate n_{1b} , n_{2b} , $n_{1,2b}$. The number of random coincidences is determined by introducing a time delay into one of the channels. In order to reduce the number of random coincidences to a minimum, a coincidence circuit with a short resolving time must be used. A high degree of accuracy in the determination of the number of disintegrations in the source requires the introduction of corrections for (1) the efficiency of the recording of gamma quanta of different energies in each channel, (2) the angular correlation and the finite geometrical dimensions of the detector and source, and (3) counting losses due to the dead time of the apparatus. These three types of errors are discussed at length, and an example involving the determination of the activity of Co^{60} and Na^{22} is given. The method of introduction of corrections discussed can also be used for measuring the activity of sources prepared from other radioactive isotopes. Orig. art. has: 2 figures, 26 formulas.

ASSOCIATION: none

SUBMITTED: 02Nov64

ENCL: 01

SUB CODE: NP

NO REF SOV: 004

OTHER: 005

Card 2/3

L 3927-66

ACCESSION NR: AT5022320

ENCLOSURE: 01




Fig. 1. Block diagram of electronic apparatus: 1--amplifiers; 2--integral or differential discriminators; 3--delay line; 4--double coincidence circuit; 5--scalers.

Card 3/3

L 19833-65 EWT(m) Pb-4 DIAAP/AFWL/ASD(a)-5/AMD/AFTC(b)/RAEM(c) DM 21
B

ACCESSION NR: AP4049543

S/0089/64/017/005/0410/0412

AUTHORS: Garapov, E. F.; Gryaznov, Yu. N.; Dorofeyev, G. A.

TITLE: Errors in the calibration of Gamma dosimeters¹⁹ in a collimated beam

SOURCE: Atomnaya energiya, v. 17, no. 5, 1964, 410-412

TOPIC TAGS: radiation dosimetry, gamma detector, calibration spectrum

ABSTRACT: To study the errors due to the difference between test and laboratory conditions, the authors measured the variation in the radiation spectrum as a function of the aperture angle of the collimated beam, and of the distance between the detector and the source, with an aim at establishing a method for determining the contribution of the scattered radiation. The primary source was 2 x 2 cm of Co⁶⁰. The measurements were made with a standard calibration rule.

Card 1/2

L 19833-65

ACCESSION NR: AP4049543

The γ ray detector was an NaI(Tl) crystal measuring 40 x 40 mm with an FEU-13 photomultiplier, placed 100, 200, 300 and 400 cm from the source. For each distance, spectra were taken at collimating-channel diameters 8, 14, 30, 40, and 60 mm. The accuracy of the measurements is discussed. It is concluded on the basis of the results that the bulk of the stray radiation in a collimated beam is produced in the shielding material in the direct vicinity of the source. The use of a cavity with dimensions equal to or larger than the diameter of the collimating channel greatly reduces the stray radiation, so that channels with diameter larger than 30 mm can be used without a noticeable change in the γ ray intensity in the beam. Orig. art. has: 3 figures.

ASSOCIATION: None

SUBMITTED: 04Dec63

ENCL: 00

SUB CODE: NP, LS

NR REF SOV: 002

OTHER: 000

Card 2/2

L4883-66 EAT(π)/EIA(h)

ACCESSION NR: AP5008339

S/0115/65/000/001/0048/0050

AUTHOR: Barycheva, L. Ya.; Denisikov, A. I.; Dorofeyev, G. A.;
L'vova, M. A.; Bochkarev, V. V.; Garapov, E. F.; Gryaznov, Yu. N.

TITLE: Comparison of various methods of activity measurements by beta and gamma radiations

SOURCE: Izmeritel'naya tekhnika, no. 1, 1965, 48-50

TOPIC TAGS: radioactivity, radioactivity measurement, radioactive preparation

ABSTRACT: For evaluating the methods and accuracies of activity measurements, a number of Co^{60} and Fe^{59} preparations were tested in the laboratories of GK AE SSSR and Health Ministry SSSR. These methods were used: (1) Beta-gamma coincidence (stilbene detector and NaI(Tl) crystal); (2) Gamma-gamma coincidence; (3) Two 4π -beta proportional flow counter; (4) End-window counter; (5) Ionization chambers. The absolute measurements by methods 1, 2,

Card 1/2

2 45813-65

ACCESSION NR: AP5008339

and 3 were found to be correct to within $\pm 1\%$. Measurements with F^{59} were less accurate because of the low specific activity of solutions (gamma) and complicated decay mode (beta-gamma). Orig. art. has: 2 tables.

ASSOCIATION: none

SUBMITTED: 00

ENCL: 00

SUB CODE: NP

NO REF SOV: 005

OTHER: 003

Card 2/2

L 11820-65 EWO(j)/EWT(1)/EWP(s)/EWT(m)/EPF(c)/EMP(1)/EPR/EMP(j)/T/EMP(b)
 Pc-4/Pr-4/Ps-4 IJP(c) JD/WW/RM/WH

ACCESSION NR: AP5010910

UR/0286/65/000/007/0101/0101

AUTHOR: Garapov, E. F.; Lebadava, M. F.; Shchekin, K. I. 47

TITLE: Material for ionization chambers for x-ray dosimetry. 19
 Class 39, No. 169776 12

SOURCE: Byulleten' izobreteniy i tovarnykh znakov, no. 7, 1965, 101

TOPIC TAGS: dosimetry, graphited polyethylene, polyethylene filler,
 ionization chamber 15

ABSTRACT: This Author Certificate deals with improved material
 for ionization chambers for x-ray dosimetry. The material consists
 of 45—50% polyethylene and 50—55% graphite. 15 [VS]

ASSOCIATION: Gosudarstvennyy komitet po aviatsionnoy tekhnike SSSR
 (State Committee on Aviation Technology, SSSR)

SUBMITTED: 18Feb63

ENCL: 00

SUB CODE: MT, NP

NO REF SOV: 000

OTHER: 000

ATD PRESS: 3235

Card 1/1

L 27969-66 EWI(m)

ACC NR: AP6017679

SOURCE CODE: UR/0120/65/000/006/0072/0077

AUTHOR: Garapov, E. F.; Gryaznov, Yu. N.

45
B

ORG: none

TITLE: Analysis of the gamma-gamma correspondence method used for calibration of Co sup 60 and Na sup 22 sources

SOURCE: Fribory i tekhnika eksperimenta, no. 6, 1965, 72-77

TOPIC TAGS: cobalt, sodium, radioisotope, radioactivity measurement

ABSTRACT: Analysis is performed of the γ - γ correspondence method used for measurement of the activity of radioactive Co⁶⁰ and Na²² sources. Formulas are presented for checking the probability of recording gamma quanta of various energy levels, angular correlation, finite geometric dimensions, and calculations connected with the dead time of the apparatus used. The problem of determination of the minimal time necessary for obtaining the required accuracy is analysed. Orig. art. has: 3 figures and 26 formulas. [JPRS]

SUB CODE: 18 / SUBM DATE: 02Nov64 / ORIG REF: 004 / OTH REF: 005

Card 1/1 CV

UDC: 539.16.08

2

L 47103-05 ENT(m)

ACC NR: AR6016487

SOURCE CODE: UR/0272/65/000/012/0103/0103

AUTHOR: Baykalov, S. N.; Vasil'yev, R. D.; Garapov, E. F.

413

TITLE: Methods of standardization of radioactive sources and of grading of radiometric and dosimetric equipment ¹⁹

SOURCE: Ref. zh. Metrologiya i izmeritel'naya tekhnika, Abs. 12.32.889

REF SOURCE: Tr. Soyuzn. n.-i. in-ta priborostr., vyp. 1, 1964, 199-212

TOPIC TAGS: alpha radiation, beta radiation, gamma radiation, neutron radiation, radioactivity measurement, dosimeter

ABSTRACT: The paper discusses problems of the laboratory of metrology of ionization measurements, including the preparation of procedural instructions for the calibration of experimental and operational emitters, preparation of tasks concerning the development of experimental equipment and emitters, aid to enterprises and verification of model equipment, and the examination and confirmation

Card 1/2

UDC: 389.539.1.07/.08

AR6016487

SOURCE CODE: UR/0272/65/000/012/0103/0103

AUTHOR: Baykalov, S. N.; Vasil'yev, R. D.; Garapov, E. F.

41
B

TITLE: Methods of standardization of radioactive sources and of grading of radiometric and dosimetric equipment 19

SOURCE: Ref. zh. Metrologiya i izmeritel'naya tekhnika, Abs. 12.32.889

REF SOURCE: Tr. Soyuzn. n.-i. in-ta priborostr., vyp. 1, 1964, 199-212

TOPIC TAGS: alpha radiation, beta radiation, gamma radiation, neutron radiation, radioactivity measurement, dosimeter

ABSTRACT: The paper discusses problems of the laboratory of metrology of ionization measurements, including the preparation of procedural instructions for the calibration of experimental and operational emitters, preparation of tasks concerning the development of experimental equipment and emitters, aid to enterprises and verification of model equipment, and the examination and confirmation

Card 1/2

UDC: 389.539.1.07/.08

ACC NR: AR6016487

of verification diagrams. Aside from these general tasks, the laboratory is engaged in evolving procedures for the metrology of alpha, beta, and gamma, and of neutron radiation. A large portion of the work of the laboratory is devoted to the development of standard equipment to transmit the dimensions of the various units of measurements, ranging from sample measures of the first grade to working measures, and also the designing of equipment to facilitate the grading of instruments and the standardization of experimental and operational emitters. The work completed by the laboratory is described and the equipment involved is enumerated. M. Mekler. [Translation of abstract] [GC]

SUB CODE: 06/

hs

Card 2/2

ACC NR: AR6013633

SOURCE CODE: UR/0058/65/000/010/A057/A057

AUTHOR: Baykalov, S. N.; Vasil'yev, R. D.; Garapov, E. F.

TITLE: Methods for standardizing radioactive sources and calibrating radiometers and dosimeters

SOURCE: Ref. zh. Fizika, Abs. 10A468

REF SOURCE: Tr. Soyuzn. n.-i. in-ta priborostr., vyp. 1, 1964, 199-212

TOPIC TAGS: metrology, scientific standard, radioactive source, instrument calibration equipment, radiometer, dosimeter

TRANSLATION: Problems that the Metrology Laboratory for Ionizing Measurements faced from the time of its organization are discussed. These included the development of systematic procedures for calibrating reference and operational emitters, preparation of programs for the development of reference equipment and emitters, assistance to industry, certification and verification of reference equipment, review and improvement of checking procedures. In addition to these ordinary problems, the laboratory is concerned with the development of methodology for the field of the metrology of α -, β -, γ - and neutron radiation. Much work has gone into the development of unique apparatus for transposing the size of various units of measurement from standard measures up to operational measures and also into the development of equipment to facilitate the

Card 1/2

ACC NR: AR6013633

calibration of instruments and standardization of reference and working emitters. The work completed by the laboratory is described and the equipment used is enumerated.
4 references.

SUB CODE: 14, 18

Card 2/2

GARAS, Zeussa, dr.

KOMOR, Karoly, dr.; GARAS, Zeussa, dr.

Determination of basal metabolism during sleep therapy and its
value in differential diagnosis. Orv hetil 95 no.16:424-429
Ap '54. (EEAL 3:8)

1. A Peterfy Sandor-utcai Korhaz Rendelointezet (igazgato: Lendvai
Jozsef dr.) B. belosztalyanak (foorvos: Bach Imre dr. az orvostudo-
manyok. kadnidatusa) kozlemenye.

(BASAL METABOLISM, determ.

*in sleep ther., value in differ. diag.)

(SLEEP, ther. use

*basal metab. in, determ. & its value in differ. diag.)

GARAS Z.

KOMOR, Karoly, dr.; GARAS, Zsuzsa, dr.

Experiences in intravenous application of ACTH. Orv. hatil. 95
no. 38:1033-1035 19 Sept 54.

1. A Fovarosí Peterfy Sándor-utcai Korház-rendelő (igazgató:
Lendvai József dr) B) Belosztályanak (főorvos Bach Imre dr., az
orvostudományok kandidátusa) közleménye.
(ACTH, admin.
intravenous)

KOMOR, Karoly, dr.; GARAS, Zsuzsa, dr.

Paroxysmal tachycardia. Orv. hetil. 95 no.51:1389-1393 19 Dec 54.

1. A fovearosi Peterffy Sandor utcai korhaz-rendelo (igazgato:
Lendvai Jozsef dr.) Belosztalyanak (osztalyvezeto: Bach Imre dr.)
az orvostudomanyok kandidatusa) kozlemenye.
(TACHYCARDIA, PAROXYSMAL)

BACH, Imre, dr.; FELIX, Janos, dr.; GARAS, Zsuzsa, dr.; KOMOR, Karoly, dr.;
POPPER, Zsuzsa, dr.

Effect of neosteron on creatine excretion in muscular dystrophy.
Magy. Belorv. arch. 8 no.4:106-108 Aug 55.

1. A Fovarosí Peterfy Sándor utcai kórház-rendelő (Igazgató:
Lendvai, József dr.) B. belosztályának (főorvos: Bach, Imre dr.,
az orvostudományok kandidátusa) és laboratóriumának (főorvos:
Szmuk, Imre dr.) közleménye.

(ANDROGENS, effects,
on creatine excretion in musc. dystrophy.)
(URINE,
creatine, eff. of androgens in musc. dystrophy.)
(CREATINE, in urine,
eff. of androgens in musc. dystrophy.)
(PROGRESSIVE MUSCULAR DYSTROPHY,
eff. of androgens on urinary creatine in.)

KOMOR, Karoly, dr.,; GARAS, Zsuzsa, dr.,; BERKINYI, Laszlo.

Treatment with zinc and ACTH. Orv. hetil. 96 no.34:969-971
28 Aug 55.

1. A Fovarosai Peterfy Sandor utcai Korhaz Rendelo (igazgato:
Lendvai Jozsef dr.) B-Belosztalyanak (foorvos: Bach Imre dr.,
az orvostudomanyok kandidatusa) kozlemenye.

(ZINC, therapeutic use
zinc chloride with ACTH)

(ACTH, ther. use
with zinc chloride)

KOMOR, Karoly, dr.; GARAS, Zsuzsa, dr.; BERENYI, Laszlo

Experience with ACTH adsorbed on a precipitate of zinc phosphate.
Orv. hetil. 96 no.35:969-971 28 Aug 55.

1. A Fovarosí Peterfy Sándor utcai Korház Rendelő (igazgató:
Lendvai, József, dr.). B-Belosztalyanak (főorvos: Bach, Imre, dr.,
az orvostudományok kandidátusa) közleménye.

(ACTH

adsorp. on zinc phosphate precipitate, ther. use)

(ZINC

phosphate adsorp. of ACTH, ther. use)

GARAS, Zsuzsa, dr.; KOMOR, Karoly, dr.

Allergic-anaphylactic complications in ACTH therapy. Orv. hetil.
97 no.30:825-827 22 July 56.

1. A Fovarosí Peterfy Sándor utcai Korház. rendelő (igaz.:
Lendvai, József dr.) B. Belosztályának (először: Bach, Imre, dr.
az orvostud. kandidátusa) közl.

(ALLERGY, etiol. & pathogen.

ACTH. (Hun))

(ACTH, inj. eff.

allergies. (Hun))

KOMOR, Karoly, dr.; GARAS, Zsuzsa, dr.

Use of chlorpromazine in differential diagnosis of high basal metabolism. Orv. hetil. 97 no.32:888 5 Aug 56.

1. A fovarosi Peterfy Sandor utcai Korhaz-rendelo (igazgato: Lendvai, Jozef, dr.) B. Belosztalyanak (foorvos: Bach, Imre, dr., az orvostudományok kandidátusa) közleménye.

(BASAL METABOLISM

high, chlorpromazine in differ. diag. of hyperthyroidal & neurotic types (Hun))

(CHLORPROMAZINE

in differ. diag. of hyperthyroidal & neurotic high basal metab. (Hun))

KOMOR, K., Dr.; GARAS, Z., Dr.

Differential diagnosis of thyropathies by investigation of basal metabolic rate during intravenous anaesthesia. Ther. hung. no.2: 23-24 1956.

1. Municipal Polyclinic, Peterfy S. utca (Director: Dr. J. Lendvay),
Medical Department B (Head-physician: Dr. I. Bach), Budapest.

(HYPERTHYROIDISM, differ. diag.

basal metab. rate determ. in intravenous anesth.)

(BASAL METABOLISM, determ.

in hyperthyroidism in intravenous anesth., differ.
diag. value)

KOMOR, Karoly; GARAS, Zsuzsa

Chlorpromazine in the differential diagnosis of diseases with high basal metabolism. Magy. belorv. arch. 11 no.2-3:52-56 Apr-June 58.

1. A Fovarosí Peterfy Sándor utcai kórház-rendelő (Ig. Galocsi György dr.) B-belosztályának (Főorv.: Bach László dr.) közleménye.

(BASAL METABOLISM, eff. of drugs on
chlorpromazine pretreatment, value of response to chlor-
promazine in differ. diag. of dis. with high basal metab.
(Hun))

(CHLORPROMAZINE, eff.
on basal metab., value of response to chlorpromazine pre-
treatment in differ diag. of dis. with high basal metab.
(Hun))

KOMOR, K.; ~~GARAS, Z.~~; BERENYI, L.

Steroid diabetes and insulin resistance; observations during oral anti-diabetic therapy. *Magy. belorv. arch.* 11 no.2-3:78-82 Apr-June 58.

1. A Fovarosí Peterffy Sándor utcai kórház-rendelő (ig. főorv.: Galocsi György dr.) B-bel osztályának (Főorv.: Bach Imre dr.) közleménye.

(DIABETES MELLITUS, etiol. & pathogen.

steroid diabetes, insulin resist. in & eff. of tolbutamide ther. (Hun))

(ANTIDIABETICS, ther. use

tolbutamide in steroid diabetes, eff. on insulin-resistant cases (Hun))

(ENDOCRINE DISEASES, etiol. & pathogen.

steroid diabetes (Hun))

KOMOR, Karoly, dr.; GARAS, Zsuzsa, dr.; SZEBENI, Agnes, dr.

Significance of the accessory adrenals in surgical therapy of Cushing's disease. Magy. belorv. arch. 13 no.1:19-22 Mr '60.

I. A Fovarosí Peterfy Sándor utcai kórház-rendelő (igazgató főorvos: Galórsi, György, dr.) Belosztálynak (főorvos: Bach, Imre, dr.) közleménye.
(CUSHING'S SYNDROME, surg.)
(ADRENAL GLAND abnorm.)

GARAS, Zsuzsa, dr.; KOMOR, Karoly, dr.

Therapy of obesity with fenoxazol. Orv. hetil. 101 no.20:703-705 15 Ny '60.

1. Fovarosí Peterfy Sándor utcai kórház-rendelő, B-belosztálynak.
(OBESITY ther.)

GARAS, Zsuzsa, dr.; KOMOR, Karoly, dr.

Spontaneous perirenal hemorrhage as the initial symptom of adrenal cortex carcinoma. Magy. belorv. arch. 16 no.1:53-56 Mr '63.

1. Peterffy Sandor utcai korhaz B-belosztaly es Endocrin rendeles.
(ADRENAL CORTEX NEOPLASM) (HEMATOMA) (RETROPERITONEAL SPACE)
(HYPERTENSION) (SURGERY, OPERATIVE) (CUSHING'S SYNDROME)
(HYPOKALEMIA) (ADRENAL CORTEX HORMONES) (URINE)

GARASHCHENKO, K., polkovnik

Socialist competition among officers. Voen.vest. 39 no.8:30-32
Ag '60. (MIRA 14:2)

(Russia--Army--Officers)
(Socialist competition)

GARASHCHUK, M.S.; SUPRUNENKO, D.A.

Linear nilgroups. Dokl.AN BSSR 4 no.10:407-408 '60. (MIRA 13:9)

1. Belorusskiy gosudarstvennyy universitet im. V.I.Lenina.
(Groups, Theory of)

GARASEFFRYAN, R.O.

Pathological kinking of the carotid artery and its significance in disorders of cerebral blood circulation. Zhur. nerv. i psikh. 65 no.4:489-495 '65. (MIRA 18:5)

1. Institut nevrologii (direktor - prof. N.V. Konevalov) AMN SSSR, Moskva.

CA GARASENKO, V.M. 11F

PROCESSES AND PROPERTIES INDEX

The use of CO₂ at lowered barometric pressures. V. M. Garasenko. *Klin. Med.* 1941, No. 10-11; *Am. Rev. Soviet Med.* 2, 119-25(1944).—In 46 expts. on 16 human subjects at pressures corresponding to altitudes of 10,000-13,000 m., administration of 100% O in open masks at 200-120 mm. Hg did not prevent urinary changes characteristic of hypocapnia. By the use of O and CO₂ mixts. at similar barometric pressures the pH was shifted to the acid side in 70% of the cases, and the excretion of phosphate, NH₄ and the total acidity was increased or stabilized in 78% of the cases. The percentage of CO₂ added to the O should be progressively increased with the decrease in the barometric pressure, reaching for some individuals 15-16% at 120 mm. Hg. W. R. Henn

ATMOSPHERIC METALLURGICAL LITERATURE CLASSIFICATION

12000 12100 12200 12300 12400 12500 12600 12700 12800 12900 13000 13100 13200 13300 13400 13500 13600 13700 13800 13900 14000 14100 14200 14300 14400 14500 14600 14700 14800 14900 15000 15100 15200 15300 15400 15500 15600 15700 15800 15900 16000 16100 16200 16300 16400 16500 16600 16700 16800 16900 17000 17100 17200 17300 17400 17500 17600 17700 17800 17900 18000 18100 18200 18300 18400 18500 18600 18700 18800 18900 19000 19100 19200 19300 19400 19500 19600 19700 19800 19900 20000 20100 20200 20300 20400 20500 20600 20700 20800 20900 21000 21100 21200 21300 21400 21500 21600 21700 21800 21900 22000 22100 22200 22300 22400 22500 22600 22700 22800 22900 23000 23100 23200 23300 23400 23500 23600 23700 23800 23900 24000 24100 24200 24300 24400 24500 24600 24700 24800 24900 25000 25100 25200 25300 25400 25500 25600 25700 25800 25900 26000 26100 26200 26300 26400 26500 26600 26700 26800 26900 27000 27100 27200 27300 27400 27500 27600 27700 27800 27900 28000 28100 28200 28300 28400 28500 28600 28700 28800 28900 29000 29100 29200 29300 29400 29500 29600 29700 29800 29900 30000 30100 30200 30300 30400 30500 30600 30700 30800 30900 31000 31100 31200 31300 31400 31500 31600 31700 31800 31900 32000 32100 32200 32300 32400 32500 32600 32700 32800 32900 33000 33100 33200 33300 33400 33500 33600 33700 33800 33900 34000 34100 34200 34300 34400 34500 34600 34700 34800 34900 35000 35100 35200 35300 35400 35500 35600 35700 35800 35900 36000 36100 36200 36300 36400 36500 36600 36700 36800 36900 37000 37100 37200 37300 37400 37500 37600 37700 37800 37900 38000 38100 38200 38300 38400 38500 38600 38700 38800 38900 39000 39100 39200 39300 39400 39500 39600 39700 39800 39900 40000 40100 40200 40300 40400 40500 40600 40700 40800 40900 41000 41100 41200 41300 41400 41500 41600 41700 41800 41900 42000 42100 42200 42300 42400 42500 42600 42700 42800 42900 43000 43100 43200 43300 43400 43500 43600 43700 43800 43900 44000 44100 44200 44300 44400 44500 44600 44700 44800 44900 45000 45100 45200 45300 45400 45500 45600 45700 45800 45900 46000 46100 46200 46300 46400 46500 46600 46700 46800 46900 47000 47100 47200 47300 47400 47500 47600 47700 47800 47900 48000 48100 48200 48300 48400 48500 48600 48700 48800 48900 49000 49100 49200 49300 49400 49500 49600 49700 49800 49900 50000 50100 50200 50300 50400 50500 50600 50700 50800 50900 51000 51100 51200 51300 51400 51500 51600 51700 51800 51900 52000 52100 52200 52300 52400 52500 52600 52700 52800 52900 53000 53100 53200 53300 53400 53500 53600 53700 53800 53900 54000 54100 54200 54300 54400 54500 54600 54700 54800 54900 55000 55100 55200 55300 55400 55500 55600 55700 55800 55900 56000 56100 56200 56300 56400 56500 56600 56700 56800 56900 57000 57100 57200 57300 57400 57500 57600 57700 57800 57900 58000 58100 58200 58300 58400 58500 58600 58700 58800 58900 59000 59100 59200 59300 59400 59500 59600 59700 59800 59900 60000 60100 60200 60300 60400 60500 60600 60700 60800 60900 61000 61100 61200 61300 61400 61500 61600 61700 61800 61900 62000 62100 62200 62300 62400 62500 62600 62700 62800 62900 63000 63100 63200 63300 63400 63500 63600 63700 63800 63900 64000 64100 64200 64300 64400 64500 64600 64700 64800 64900 65000 65100 65200 65300 65400 65500 65600 65700 65800 65900 66000 66100 66200 66300 66400 66500 66600 66700 66800 66900 67000 67100 67200 67300 67400 67500 67600 67700 67800 67900 68000 68100 68200 68300 68400 68500 68600 68700 68800 68900 69000 69100 69200 69300 69400 69500 69600 69700 69800 69900 70000 70100 70200 70300 70400 70500 70600 70700 70800 70900 71000 71100 71200 71300 71400 71500 71600 71700 71800 71900 72000 72100 72200 72300 72400 72500 72600 72700 72800 72900 73000 73100 73200 73300 73400 73500 73600 73700 73800 73900 74000 74100 74200 74300 74400 74500 74600 74700 74800 74900 75000 75100 75200 75300 75400 75500 75600 75700 75800 75900 76000 76100 76200 76300 76400 76500 76600 76700 76800 76900 77000 77100 77200 77300 77400 77500 77600 77700 77800 77900 78000 78100 78200 78300 78400 78500 78600 78700 78800 78900 79000 79100 79200 79300 79400 79500 79600 79700 79800 79900 80000 80100 80200 80300 80400 80500 80600 80700 80800 80900 81000 81100 81200 81300 81400 81500 81600 81700 81800 81900 82000 82100 82200 82300 82400 82500 82600 82700 82800 82900 83000 83100 83200 83300 83400 83500 83600 83700 83800 83900 84000 84100 84200 84300 84400 84500 84600 84700 84800 84900 85000 85100 85200 85300 85400 85500 85600 85700 85800 85900 86000 86100 86200 86300 86400 86500 86600 86700 86800 86900 87000 87100 87200 87300 87400 87500 87600 87700 87800 87900 88000 88100 88200 88300 88400 88500 88600 88700 88800 88900 89000 89100 89200 89300 89400 89500 89600 89700 89800 89900 90000 90100 90200 90300 90400 90500 90600 90700 90800 90900 91000 91100 91200 91300 91400 91500 91600 91700 91800 91900 92000 92100 92200 92300 92400 92500 92600 92700 92800 92900 93000 93100 93200 93300 93400 93500 93600 93700 93800 93900 94000 94100 94200 94300 94400 94500 94600 94700 94800 94900 95000 95100 95200 95300 95400 95500 95600 95700 95800 95900 96000 96100 96200 96300 96400 96500 96600 96700 96800 96900 97000 97100 97200 97300 97400 97500 97600 97700 97800 97900 98000 98100 98200 98300 98400 98500 98600 98700 98800 98900 99000 99100 99200 99300 99400 99500 99600 99700 99800 99900 100000 100100 100200 100300 100400 100500 100600 100700 100800 100900 101000 101100 101200 101300 101400 101500 101600 101700 101800 101900 102000 102100 102200 102300 102400 102500 102600 102700 102800 102900 103000 103100 103200 103300 103400 103500 103600 103700 103800 103900 104000 104100 104200 104300 104400 104500 104600 104700 104800 104900 105000 105100 105200 105300 105400 105500 105600 105700 105800 105900 106000 106100 106200 106300 106400 106500 106600 106700 106800 106900 107000 107100 107200 107300 107400 107500 107600 107700 107800 107900 108000 108100 108200 108300 108400 108500 108600 108700 108800 108900 109000 109100 109200 109300 109400 109500 109600 109700 109800 109900 110000 110100 110200 110300 110400 110500 110600 110700 110800 110900 111000 111100 111200 111300 111400 111500 111600 111700 111800 111900 112000 112100 112200 112300 112400 112500 112600 112700 112800 112900 113000 113100 113200 113300 113400 113500 113600 113700 113800 113900 114000 114100 114200 114300 114400 114500 114600 114700 114800 114900 115000 115100 115200 115300 115400 115500 115600 115700 115800 115900 116000 116100 116200 116300 116400 116500 116600 116700 116800 116900 117000 117100 117200 117300 117400 117500 117600 117700 117800 117900 118000 118100 118200 118300 118400 118500 118600 118700 118800 118900 119000 119100 119200 119300 119400 119500 119600 119700 119800 119900 120000 120100 120200 120300 120400 120500 120600 120700 120800 120900 121000 121100 121200 121300 121400 121500 121600 121700 121800 121900 122000 122100 122200 122300 122400 122500 122600 122700 122800 122900 123000 123100 123200 123300 123400 123500 123600 123700 123800 123900 124000 124100 124200 124300 124400 124500 124600 124700 124800 124900 125000 125100 125200 125300 125400 125500 125600 125700 125800 125900 126000 126100 126200 126300 126400 126500 126600 126700 126800 126900 127000 127100 127200 127300 127400 127500 127600 127700 127800 127900 128000 128100 128200 128300 128400 128500 128600 128700 128800 128900 129000 129100 129200 129300 129400 129500 129600 129700 129800 129900 130000 130100 130200 130300 130400 130500 130600 130700 130800 130900 131000 131100 131200 131300 131400 131500 131600 131700 131800 131900 132000 132100 132200 132300 132400 132500 132600 132700 132800 132900 133000 133100 133200 133300 133400 133500 133600 133700 133800 133900 134000 134100 134200 134300 134400 134500 134600 134700 134800 134900 135000 135100 135200 135300 135400 135500 135600 135700 135800 135900 136000 136100 136200 136300 136400 136500 136600 136700 136800 136900 137000 137100 137200 137300 137400 137500 137600 137700 137800 137900 138000 138100 138200 138300 138400 138500 138600 138700 138800 138900 139000 139100 139200 139300 139400 139500 139600 139700 139800 139900 140000 140100 140200 140300 140400 140500 140600 140700 140800 140900 141000 141100 141200 141300 141400 141500 141600 141700 141800 141900 142000 142100 142200 142300 142400 142500 142600 142700 142800 142900 143000 143100 143200 143300 143400 143500 143600 143700 143800 143900 144000 144100 144200 144300 144400 144500 144600 144700 144800 144900 145000 145100 145200 145300 145400 145500 145600 145700 145800 145900 146000 146100 146200 146300 146400 146500 146600 146700 146800 146900 147000 147100 147200 147300 147400 147500 147600 147700 147800 147900 148000 148100 148200 148300 148400 148500 148600 148700 148800 148900 149000 149100 149200 149300 149400 149500 149600 149700 149800 149900 150000 150100 150200 150300 150400 150500 150600 150700 150800 150900 151000 151100 151200 151300 151400 151500 151600 151700 151800 151900 152000 152100 152200 152300 152400 152500 152600 152700 152800 152900 153000 153100 153200 153300 153400 153500 153600 153700 153800 153900 154000 154100 154200 154300 154400 154500 154600 154700 154800 154900 155000 155100 155200 155300 155400 155500 155600 155700 155800 155900 156000 156100 156200 156300 156400 156500 156600 156700 156800 156900 157000 157100 157200 157300 157400 157500 157600 157700 157800 157900 158000 158100 158200 158300 158400 158500 158600 158700 158800 158900 159000 159100 159200 159300 159400 159500 159600 159700 159800 159900 160000 160100 160200 160300 160400 160500 160600 160700 160800 160900 161000 161100 161200 161300 161400 161500 161600 161700 161800 161900 162000 162100 162200 162300 162400 162500 162600 162700 162800 162900 163000 163100 163200 163300 163400 163500 163600 163700 163800 163900 164000 164100 164200 164300 164400 164500 164600 164700 164800 164900 165000 165100 165200 165300 165400 165500 165600 165700 165800 165900 166000 166100 166200 166300 166400 166500 166600 166700 166800 166900 167000 167100 167200 167300 167400 167500 167600 167700 167800 167900 168000 168100 168200 168300 168400 168500 168600 168700 168800 168900 169000 169100 169200 169300 169400 169500 169600 169700 169800 169900 170000 170100 170200 170300 170400 170500 170600 170700 170800 170900 171000 171100 171200 171300 171400 171500 171600 171700 171800 171900 172000 172100 172200 172300 172400 172500 172600 172700 172800 172900 173000 173100 173200 173300 173400 173500 173600 173700 173800 173900 174000 174100 174200 174300 174400 174500 174600 174700 174800 174900 175000 175100 175200 175300 175400 175500 175600 175700 175800 175900 176000 176100 176200 176300 176400 176500 176600 176700 176800 176900 177000 177100 177200 177300 177400 177500 177600 177700 177800 177900 178000 178100 178200 178300 178400 178500 178600 178700 178800 178900 179000 179100 179200 179300 179400 179500 179600 179700 179800 179900 180000 180100 180200 180300 180400 180500 180600 180700 180800 180900 181000 181100 181200 181300 181400 181500 181600 181700 181800 181900 182000 182100 182200 182300 182400 182500 182600 182700 182800 182900 183000 183100 183200 183300 183400 183500 183600 183700 183800 183900 184000 184100 184200 184300 184400 184500 184600 184700 184800 184900 185000 185100 185200 185300 185400 185500 185600 185700 185800 185900 186000 186100 186200 186300 186400 186500 186600 186700 186800 186900 187000 187100 187200 187300 187400 187500 187600 187700 187800 187900 188000 188100 188200 188300 188400 188500 188600 188700 188800 188900 189000 189100 189200 189300 189400 189500 189600 189700 189800 189900 190000 190100 190200 190300 190400 190500 190600 190700 190800 190900 191000 191100 191200 191300 191400 191500 191600 191700 191800 191900 192000 192100 192200 192300 192400 192500 192600 192700 192800 192900 193000 193100 193200 193300 193400 193500 193600 193700 193800 193900 194000 194100 194200 194300 194400 194500 194600

GARASENKOV, B. I.

"The Results of Irrigating Spring Wheat in the Rostovskaya Oblast."
Cand Agr Sci, Moscow Order of Lenin Agricultural Acad imeni K. A. Timiryazev,
Moscow, 1954. (KL, No. 1, Jan. 55)

Survey of Scientific and Technical Dissertations Defended at USSR Higher Educational
Institutions (13)
SO: Sum. No. 598, 29 Jul 55

GARASEV, S. M.

Automobile batteries; booklet for the mechanic.
Moskva, Izd-vo Ministerstva kommunal'nogo khoziaistva RSFSR, 1952.
66 p. (53-32304)

TL272.G36

GARASEV, S.M.; PLEKILANOV, I. redaktor; PAMPIL', S., redaktor; KONYA-SHINA, A., tekhnicheskii redaktor.

[Booklet for the automobile electrician] Pamiatka avtoelektriku.
Moskva, Izd-vo Ministerstva kommunal'nogo khoziaistva RSFSR,
1953. 95 p. (Microfilm) (MLBA 8:9)
(Automobiles--Electric equipment)

GARASEV, Sergey Mikhaylovich; CHEKRYGIN, I.G., redaktor; MAL'KOVA, N.V.,
tekhnicheskii redaktor

[Use and maintenance of storage batteries; a manual for storage
battery technicians] Eksploatatsiia i remont akkumuliatornykh
batarei; posobie akkumuliatorshchiku. Moskva, Nauchno-tekhn. izd-
vo avtotransp. lit-ry, 1955. 70 p. (MLRA 9:2)
(Storage batteries)

GARASEV, Sergey Mikhaylovich; GRINBERG, P.I., red.; BODANOVA, A.P.,
tekhn. red.

[Maintenance and repair of storage batteries]Ekspluatatsiia
i remont akkumuliatornykh batarei; posobie akkumuliatorschika.
Izd.2. perer. Moskva, Avtotransizdat, 1963. 70 p.
(MIRA 16:4)

(Storage batteries--Maintenance and repair)

GARASEVICH, G.I., inzhener; ZARNITSYN, V.I.

Jointing machine for automatic lines. Der.prom.5 no.11:22-23
N '56. (MIRA 10:1)

1. Kiyevskiy derevoobrabatyvayushchiy kombinat.
(Woodworking machinery)
(Joinery)

GARASEVICH, G.I., inzhener.

Automatic production line for packing crate planks made out of
rough blanks. Der. prom. 6 no.4:18-19 Ap '57. (MLRA 10:6)

1. Kiyevskiy derevoobrabatyvayushchiy kombinat.
(Woodworking industries) (Assembly line methods)

GARASEVICH, G.I., inzh.; PETRUSHA, A.K., kand.tekhn.nauk

Automatic lines of universal machines. Der.prom. 6 no.8:7 Ag '57.
(MIRA 10:11)

(Woodworking machinery)

GARASEVICH, G.I., inzh.

Machines for sorting parquet floor borders. Der. prom. 7 no.1:24-25
Ja '58. (MIRA 11:1)

1. Kiyevskiy derevoobrabatyvayushchiy kombinat.
(Parquet floors)

GARASEVICH, G.I., inzh.

Automatic production line for making parquet boards. Der.prom. 7
no.9:18-19 S '58. (MIRA 11:11)

1. Kiyevskiy derevoobrabatyvayushchiy kombinat.
(Parquet floors) (Woodworking machinery)

GARASEVICH, G.I.; SEMENOVSKIY, A.A.

Automatic device for stacking dimensions into packages. Bum.1
der.prom. no.4:3-5 O-D '62. (MIRA 15:12)

1. Kiyevskiy domostroitel'nyy fanernyy kombinat.
(Woodworking industries) (Assembly-line methods)

GARASEVICH, G.I.; SEMENOVSKIY, A.A.

Mechanization of the production of veneer. Bum. i der. prom. no.2:9-12.
Ap-Je '63. (MIRA 17:2)

1. Kiyevskiy derevoobrabatyvayushchiy kombinat.

GARASEVICH, G.I.; SEMENOVSKIY, A.A.

Manufacture of chairs from new materials. Bum. i der. prom. no.1:
22-24 Ja-Mr '64. (MIRA 17:6)

MENZHERITSKIY, A.I.; OSIPOV, A.V.; YEFREMOV, M.D.; KRUKOVSKIY, Ye.V.;
SHLUGER, N.A.; REPSHIL', A.P.; MITSKEVICH, V.M.; MIKIRTUCHEVA,
Z.V.; POLONSKIY, V.V.; OBOTOVA, M.N.; SEMENOVSKIY, A.A.;
GARASEVICH, G.I.; VAYNBERG, Ye.I.; DOMNICH, A.M.; LEVCHENKO, V.L.;
RAFAL'SON, V.D.; ROMANENKO, Ye.I.; SHPINER, Ye.I.; TEKLIN, V.G.

Innovations. Bim. i der. prom. no.2:58 Ap-Je '65. (MIRA 18:6)

FINKEL'SHTEYN, B.; GARASH, B.

Our experience in organizing and operating a mobile radio shop.
Radio no. 1:18-19 Ja '56. (MIRA 9:4)

1. Nachal'nik radiomasterskey Moldavskoy DRTS (for Finkel'shteyn)
2. Nachal'nik DRTS Moldavskoy SSR (for Garash)
(Radio--Repairing)

SOV/111-58-12-16/36

AUTHORS: Garash, B.S., Chief, Krasovskiy, N.G., Senior Engineer

TITLE: The Introduction and Operation of UPTS Equipment in the Intra-Rayon Telephone Network (Vnedreniye i ekspluatatsiya ustroystv UPTS na seti vnutrirayonnoy telefonnoy svyazi)

PERIODICAL: Vestnik svyazi, 1958, Nr 12, p 15 (USSR)

ABSTRACT: The authors review the experiences of the communication workers of the Moldavian SSR in introducing and operating UPTS equipment, which began in 1956. Many difficulties had to be overcome which were caused by differences in the various existing telephone networks and the manual and automatic telephone offices to which the semiautomatic telephone office equipment (UPTS) had to be connected. There is 1 circuit diagram.

ASSOCIATION: Direktsiya radiotranslyatsionnoy seti i vnutrirayonnoy telefonnoy svyazi Moldavskoy SSR (Central Office of Radio Relay and Rayon Telephone Network of the Moldavian SSR).

Card 1/1

GUREVICH, V. T., YAKOVLEV, N. V., PARASCHENKO, A. P.,

Engineer

*"Nitro-Cementation and Cracking", Stanki I Instrument, 14, N. 4-5, 1943.

BR-32059019

*Excerpts from their reports:


GARASHCHENKO, B. P. 8
 B

Influence of Low-Temperature Tempering Upon Mechanical Properties of One Percent Tungsten (Silver) Steel. A. P. Garashchenko, Henry Bratcher (Altadena, Calif.), Translation No. 2101, 8 pages. From *Stanki i Instrument (Apparatus and Instruments)*, v. 18, no. 9, 1947, p. 21-22.

Mechanical properties of a tool steel containing 1.05-1.25% C, 0.8-1.2% W, and 0.15-0.30% V were studied as a function of time of holding at temperatures of 300-625° F. Gives general conclusions concerning low-temperature tempering of plain carbon and alloy-steel tools.

ASD-5LA METALLURGICAL LITERATURE CLASSIFICATION

SIGNATURE										TITLE										AUTHOR									
REPORT NO. ONE										REPORT NO. TWO										REPORT NO. THREE									
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30



RUSTEM, S.L.; GARASHCHENKO, A.P.

[Heat-treatment shop equipment] Oborudovanie termicheskikh tsekhov. Moskva,
Gos.nauchno-tekhn.izd-vo mashinostroit.lit-ry, 1953. 254 p. (MLRA 6:10)
(Metals--Heat treatment)

OP. 5 - 100000, Aleksandr Petrovich

RUSTEM, Semen Leopoldovich; GARASHCHENKO, Aleksandr Petrovich;
CHEBURKOV, A.K., inzh., retsenzent; GLIKIN, N.M., inzh., red.;
SHEMSHURINA, Ye.A., red.izdatel'stva; EL'KIND, V.D., tekhn.red.

[Equipment, automatization and mechanization in plants for heat
treatment of metals] Oborudovanie, avtomatizatsiia i mekhanizatsiia
v termicheskikh tsekhakh. Izd.2-oe, perer.i dop. Moskva, Gos.
nauchno-tekhn.izd-vo mashinostroit.lit-ry, 1957. 391 p. (MIRA 11:1)
(Metals--Heat treatment)

GARASHCHENKO, A.P.

129-1-5/14

AUTHORS: Garashchenko, A.P., Candidate of Technical Sciences,
Gulyaev, A.P., Doctor of Technical Sciences, Professor,
and Luneva, Z.S., Engineer.

TITLE: Molten Metals and Alloys as a Medium for Heating Steel
Components during Heat Treatment (Rasplavlennyye metally
i splavy kak sreda dlya nagreva stal'nykh izdeliy pri
termicheskoy obrabotke)

PERIODICAL: Metallovedeniye i Obrabotka Metallov, 1958, No.1,
pp. 21 - 26 (USSR).

ABSTRACT: Local heating is usually effected in lead baths. In view
of the danger to the operating personnel and also the scarcity
of lead, attempts are being made to substitute this material
by others. As a result of the experiments, it was established
that aluminium alloys containing 8 to 12% Si can be used for
heating steel components to be tempered and that aluminium
alloys containing 6 - 10% Si and 5 - 7% Fe can be used for
heating steel components to be hardened. As regards speed of
heating, the here mentioned alloys are equivalent to molten
lead. Measures were developed for protecting the crucibles,
the thermocouple casing and the components against erosion
and also against increased loss of the alloy when removing
the components. For heating components to 700 - 850 °C, the

Card 1/2